

# SCP Foundation

## Secure, Contain, Protect

- About
  - About Us
  - Site Rules
  - FAQ
  - Licensing
  - Criticism Policy
  - Article Deletions
- Community
  - Site News
  - IRC Chat
  - Authors' Pages
  - Artist Directory
  - Contest Archive
  - Staff List
- Resources
  - Guides
  - Essays & Resources
  - Wiki Syntax
  - Sandbox
  - Usertools
- Sister Sites
  - SCP International
  - Wanderer's Library
- Contact Us



- About
  - About Us
  - Site Rules
  - FAQ
  - Licensing
  - Criticism Policy
  - Article Deletions
  - Contact Staff
- Community
  - Site News
  - IRC Chat
  - Authors' Pages
  - Artist Directory
  - Contest Archive
  - Staff List
- Resources
  - Guides

- Essays & Resources
- Wiki Syntax
- Sandbox
- Usertools
- Sister Sites
  - SCP International
  - Wanderer's Library

Create account or Sign in

Getting Started

Guide for Newcomers

Join the Site

Contribute | FAQ

Universe Hub

Main | Forum

SCP by Series

I | II | III | IV | V

VI | VII | VIII | IX

Other SCP

Explained | Joke

International

Feed

New Pages

Shortest | Top Rated

Recent Changes

New Forum Posts

Lowest Rated Pages

Stories

Tales Hub | Series

Groups of Interest

GoI Formats

Canon Hub

Discovery

Artwork Hub

Curated Lists

Curated Tale Series

Tag Search

Random

SCP | Tale | GoI | Art

Random Page

SCP-4045  
rating: +125+–x

**Item #:** SCP-4045

**Object Class:** Keter

**Special Containment Procedures:** SCP-4045-B instances are to be impounded for study, and are to be stored in Vehicular Containment Garages as appropriate, pending destruction.

If SCP-4045 is detected prior to an SCP-4045 event, an attempt is to be made so that SCP-4045-A individuals are to be restrained or otherwise made unable to participate in these events, monitored until SCP-4045 symptoms cease, and then released following administration of appropriate amnestics.

**Description:** SCP-4045 is a phenomenon affecting women and motor vehicles in rural areas of the United States, Italy, Australia, China, and Russia. In humans, SCP-4045 is primarily characterized by the sudden development of mechanophilia<sup>1</sup>, in spite of any previous romantic or sexual inclinations, or the lack thereof. Individuals who are affected by SCP-4045 (henceforth SCP-4045-A) have several consistent characteristics:

- All subjects are over the age of forty-five
- All subjects identify as female
- All subjects reside in areas where the human population within 10.7 square kilometers is less than 6,000 individuals
- No subject has been in a sexual or romantic relationship for at least four years.
- All subjects have at least one child; the presence of grandchildren in the family seems to increase the chance that SCP-4045 will affect an individual.
- While not wholly consistent, 87.6% of affected subjects described themselves as having a "significant amount of free time on their hands."

If SCP-4045 is interrupted or SCP-4045-A or -B destroyed, all anomalous affects will cease.

The SCP-4045 phenomenon takes place in 3 main stages.

In the first stage, due to the aforementioned mechanophilia, SCP-4045-A instances will actively seek out automobiles, diverting from their daily routines and oftentimes putting themselves in physical danger in the process. SCP-4045-A instances show particular interest in models that are no longer being manufactured.

SCP-4045-A will then attempt to talk with the automobile, and despite there being no recorded anomaly affecting any of the automobiles at this stage, SCP-4045-A instances insist that the conversation is two-sided.

Should this initial SCP-4045 event be successful<sup>2</sup>, SCP-4045-A will progress to the second stage. During this stage, SCP-4045-A will attempt to meet with the vehicle they found in the first stage, referred to as SCP-4045-B. SCP-4045-A is able to start and unlock SCP-4045-B without a set of keys, which is used often, as SCP-4045-B is rarely

owned by SCP-4045-A. Once SCP-4045-A has accessed SCP-4045-B, they will take SCP-4045-B on further SCP-4045 events, which comprises a large range of activities.

Observed activities include:

- Sitting on top of the car for several hours while talking
- Sitting inside of the car for several hours
- Watching a movie outside
- Picnicking

Following the conclusion of the activity, SCP-4045-A will return SCP-4045-B to where it was originally found.

Once SCP-4045-A and SCP-4045-B have been with each other for a certain amount of time<sup>3</sup>, the main SCP-4045 event will initiate.

The main SCP-4045 event starts identical to a normal SCP-4045 event. However, at the end of the event, instead of returning SCP-4045-B, SCP-4045-A will drive SCP-4045-B to a secluded area and attempt to engage in sexual intercourse with SCP-4045-B.

When SCP-4045-A achieves orgasm, they will begin to fuse with SCP-4045-B. This process takes anywhere from 10 to 30 minutes. X-Rays taken during this process show that SCP-4045-A is slowly converted into various plastic and metals. This new material is then evenly distributed throughout the entirety of SCP-4045-B. SCP-4045-A is fully conscious for the duration of this process.

Following the total of conclusion of the SCP-4045 event, SCP-4045-B will drive itself back towards its residence. Electrical analysis of SCP-4045-B instances show that activity almost identical to brain activity is present throughout the vehicle. Past this, no further anomalous properties are recorded in SCP-4045-B.

#### Footnotes

1. A paraphilia in which individuals are romantically or sexually attracted to non-humanoid machines, such as vehicles
2. Which happens in approximately 38.2% of cases
3. Anywhere from 3 to 6 weeks

« SCP-4044 | SCP-4045 | SCP-4046 »

## ‡ Licensing / Citation

Cite this page as:

"SCP-4045" by Varaxous, from the SCP Wiki. Source: <https://scpwiki.com/scp-4045>. Licensed under CC-BY-SA.

For information on how to use this component, see the License Box component. To read about licensing policy, see the Licensing Guide.

\_licenseboxketermind-affectingscpsexualtransfigurationvehicle

page revision: 8, last edited: 23 Oct 2022 06:16

Edit Rate (+125) Tags Discuss (41) History Files Print Site tools + Options

Edit Sections Append Edit Meta Watchers Backlinks Page Source Parent Lock Page

Rename Delete

[Help](#) | [Terms of Service](#) | [Privacy](#) | [Report a bug](#) | [Flag as objectionable](#)

Powered by Wikidot.com

Unless otherwise stated, the content of this page is licensed under Creative Commons Attribution-ShareAlike 3.0 License

[Click here to edit contents of this page.](#)

[Click here to toggle editing of individual sections of the page \(if possible\). Watch headings for an "edit" link when available.](#)

[Append content without editing the whole page source.](#)

[Check out how this page has evolved in the past.](#)

[If you want to discuss contents of this page - this is the easiest way to do it.](#)

[View and manage file attachments for this page.](#)

[A few useful tools to manage this Site.](#)

[See pages that link to and include this page.](#)

[Change the name \(also URL address, possibly the category\) of the page.](#)

[View wiki source for this page without editing.](#)

[View/set parent page \(used for creating breadcrumbs and structured layout\).](#)

[Notify administrators if there is objectionable content in this page.](#)

[Something does not work as expected? Find out what you can do.](#)

[General Wikidot.com documentation and help section.](#)

[Wikidot.com Terms of Service - what you can, what you should not etc.](#)

[Wikidot.com Privacy Policy.](#)